



## Daily Open Source Infrastructure Report 03 June 2016

### Top Stories

- Seven automakers announced an expanded recall June 2 for nearly 4.4 million model years 2004 – 2011 vehicles sold in the U.S. due to defective Takata Corp., passenger-side air bag inflators linked to 11 deaths and over 100 injuries globally. – *Associated Press* (See item [4](#))
- Pasadena Public Health Department officials reported June 1 that 11 of the 16 patients infected by dangerous bacteria from duodenoscopes at Huntington Hospital have died. – *Los Angeles Times* (See item [15](#))
- Federal authorities announced June 1 that a Federal defendant and former Swedish Medical Center of Colorado employee is HIV positive, and urged approximately 3,000 patients who were potentially impacted to undergo testing for blood-borne pathogens. – *KMGH 7 Denver* (See item [16](#))
- The University of California, Los Angeles campus was locked down and classes were cancelled June 1 in response to a murder-suicide involving a professor inside the university's engineering complex. – *Los Angeles Times* (See item [17](#))

---

### Fast Jump Menu

#### PRODUCTION INDUSTRIES

- [Energy](#)
- [Chemical](#)
- [Nuclear Reactors, Materials, and Waste](#)
- [Critical Manufacturing](#)
- [Defense Industrial Base](#)
- [Dams](#)

#### SUSTENANCE and HEALTH

- [Food and Agriculture](#)
- [Water and Wastewater Systems](#)
- [Healthcare and Public Health](#)

#### SERVICE INDUSTRIES

- [Financial Services](#)
- [Transportation Systems](#)
- [Information Technology](#)
- [Communications](#)
- [Commercial Facilities](#)

#### FEDERAL and STATE

- [Government Facilities](#)
- [Emergency Services](#)

## Energy Sector

1. *June 1, Lexington Herald-Leader* – (Kentucky) **Foreman at Bell mine pleads guilty to safety offense that led to death.** A former supervisor at the Commonwealth Mining LLC Tinsley Branch HWM 61 mine near Pineville, Kentucky, pleaded guilty June 1 to violating a mandatory safety standard in October 2014 by authorizing an employee to crawl into an auger hole that had no support for the roof. The roof fell and crushed the employee, leading to his death and prompting an investigation.  
Source: <http://www.kentucky.com/news/state/article81218052.html>

For another story, see item [22](#)

## Chemical Industry Sector

Nothing to report

## Nuclear Reactors, Materials, and Waste Sector

2. *June 2, WQAD 8 Moline* – (Illinois) **Exelon shutting down Clinton and Cordova nuclear plants.** Exelon Corp. officials stated June 2 that it will close two of its Cordova, Illinois nuclear plants including its Clinton Power Station June 2017 and the Quad Cities Generating Station June 2018.  
Source: <http://wqad.com/2016/06/02/exelon-plans-to-shut-down-clinton-and-cordova-nuclear-plants/>
3. *June 1, Easton Express-Times* – (Pennsylvania) **Pennsylvania nuclear power reactor shut down after malfunction.** Exelon Corp. officials reported June 1 that it took Unit 2 offline and temporarily shut down its Limerick Generating Station after an electrical component malfunctioned in the reactor's recirculating water pumps. Officials were unsure when Unit 2 would return to normal operations, but repairs were currently being conducted.  
Source:  
[http://www.lehighvalleylive.com/news/index.ssf/2016/06/pennsylvania\\_nuclear\\_power\\_rea.html](http://www.lehighvalleylive.com/news/index.ssf/2016/06/pennsylvania_nuclear_power_rea.html)

## Critical Manufacturing Sector

4. *June 2, Associated Press* – (International) **7 automakers add 4.4M vehicles to Takata recall.** Seven automakers announced an expanded recall June 2 for nearly 4.4 million model years 2004 – 2011 vehicles sold in the U.S. due to defective Takata Corp., passenger-side air bag inflators equipped with ammonium nitrate, a chemical that may deteriorate over time when exposed to variations in temperature and cause the airbags to deploy with excessive force, spraying hot shrapnel into vehicle passenger compartments. The defective inflators have been linked to at least 11 deaths and over 100 injuries globally.  
Source:  
[http://www.mlive.com/auto/index.ssf/2016/06/7\\_automakers\\_add\\_44m\\_vehicles.html](http://www.mlive.com/auto/index.ssf/2016/06/7_automakers_add_44m_vehicles.html)

5. *June 1, U.S. Department of Labor* – (New York) **OSHA fines leading rail equipment manufacturer \$105K for exposing workers to several cancer-causing chemicals, other hazards.** The Occupational Safety and Health Administration cited Alstom Transportation Inc., with 17 serious violations after a complaint prompted an investigation at Hornell, New York facility, which revealed that the company exposed employees to cancer-causing chemicals beyond permissible exposure limits, failed to provide employees exposed to lead and cadmium with required medical surveillance, and failed to provide employees with changing and shower areas, among other violations. Proposed penalties total \$105,000.

Source:

[https://www.osha.gov/pls/oshaweb/owadisp.show\\_document?p\\_table=NEWS\\_RELEASES&p\\_id=32442](https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=32442)

## **Defense Industrial Base Sector**

Nothing to report

## **Financial Services Sector**

6. *June 1, WVLT 8 Knoxville* – (Tennessee) **Couple arrested for allegedly manufacturing 80 fake credit cards.** Two Tennessee residents were arrested in Kingston May 27 for allegedly manufacturing about 80 counterfeit credit and gift cards after a routine traffic stop led authorities to the duo's motel room, prompting a subsequent search of the room which revealed a card reader, a machine used to punch numbers on credit cards, and blank cards, among other illicit materials.

Source: <http://www.local8now.com/content/news/Couple-arrested-for-allegedly-manufacturing-80-fake-credit-cards-381588511.html>

## **Transportation Systems Sector**

7. *June 2, KSNB 4 Superior* – (Nebraska) **Four hospitalized in three-car collision south of St. Paul.** A three-car collision near St. Paul, Nebraska shut down Highway 281 for nearly four hours June 1 and sent four people to the hospital with various injuries.  
Source: <http://www.nbcneb.com/content/news/Four-hospitalized-in-three-car-collision-south-of-St-Paul-381595071.html>
8. *June 1, WXOW 19 La Crosse* – (Wisconsin) **Deadly Hwy. 53 crash being investigated as street racing incident.** A fatal crash shut down Highway 53 in Holmen, Wisconsin for more than five hours and left one driver dead after losing control of his car and crashing into an oncoming vehicle June 1.  
Source: <http://www.wxow.com/story/32118725/2016/06/01/crash-kills-one-on-us-hwy-53>
9. *June 1, KHOU 11 Houston* – (Texas) **32 injured in Metro bus crash.** A June 1 Metro bus crash in Houston injured 32 passengers and sent 28 passengers to the hospital, one of which sustained critical injuries, after the bus crashed into a truck and a stop sign.

Four other passengers were also injured, but declined to be transported to the hospital.  
Source: <http://www.khou.com/news/local/multiple-injuries-reported-in-metro-bus-crash/226554024>

10. *June 1, WTTG 5 Washington, D.C.* – (Virginia) **Driver killed in crash with dump truck in Gainesville.** A two-vehicle crash involving a dump truck and another vehicle left one driver dead and shut down Lee Highway and Lake Manassas Drive for several hours June 1 while officials investigated the scene.  
Source: <http://www.fox5dc.com/news/local-news/151274976-story>

## **Food and Agriculture Sector**

11. *June 1, U.S. Food and Drug Administration* – (National) **Frontera Foods issues allergy alert for undeclared soy allergen in Original Taco Skillet Sauce with a “best by” date of “13 Apr 17.”** Frontera Foods expanded a previous recall June 1 to include an additional 1,314 packages of its Frontera Texas Original Taco Skillet Sauce products sold in 8-ounce packages due to mislabeling and undeclared soy after it was discovered that the product’s label did not accurately reflect the ingredients. The company has corrected the labeling error and no illnesses have been reported in connection with the products which were distributed to select retail stores in seven States.  
Source: <http://www.fda.gov/Safety/Recalls/ucm504508.htm>
12. *June 1, U.S. Department of Labor* – (Georgia) **Prompted by severe workplace injury, OSHA investigation at Georgia nursery reveals deadly workplace hazards; nearly \$47K in fines proposed.** The Occupational Safety and Health Administration cited Evergreen Nursery Inc., with 18 serious safety violations May 31 after a March 18 incident where a forklift overturned and crushed an employee’s pelvis, prompting an investigation at the Statham, Georgia facility which revealed that the company failed to ensure workers operating powered industrial trucks wore seatbelts, failed to provide employees with protective equipment, and failed to develop a written hazard communication program for workers handling chemicals, among other violations. Proposed penalties total \$46,900.  
Source:  
[https://www.osha.gov/pls/oshaweb/owadisp.show\\_document?p\\_table=NEWS\\_RELEASES&p\\_id=32445](https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=32445)

## **Water and Wastewater Systems Sector**

13. *June 1, Meriden Record-Journal* – (Connecticut) **Swimming area at Wharton Brook in Wallingford closed due to bacteria.** Officials closed the swimming areas at Wharton Brook State Park and Chatfield Hollow State indefinitely June 1 following a study completed by the Connecticut Department of Energy and Environmental protection which found that the parks had indicators of bacteria in the swimming area. Officials noted that the bacteria was not disease causing, but the samples were used to evaluate the potential for contaminated water.  
Source: <http://www.myrecordjournal.com/news/wallingford/wallingfordnews/8908910->

[154/swimming-area-at-wharton-brook-in-wallingford-closed-due-to.html](http://www.yourhoustonnews.com/east_montgomery/news/wastewater-discharged-from-lift-station-due-to-san-jacinto-river/article_db1590f7-35df-5dd4-88cd-5b407d2e3d46.html)

14. *May 31, East Montgomery County Observer* – (Texas) **Wastewater discharged from lift station due to San Jacinto River flooding.** The San Jacinto River in Humble, Texas flooded May 31 and caused approximately 480,000 gallons of untreated wastewater to discharge from the Townsend Blvd. Lift Station, prompting officials to issue a boil water advisory for all residents and businesses using private water supply wells in a half-mile radius of the spill.  
Source: [http://www.yourhoustonnews.com/east\\_montgomery/news/wastewater-discharged-from-lift-station-due-to-san-jacinto-river/article\\_db1590f7-35df-5dd4-88cd-5b407d2e3d46.html](http://www.yourhoustonnews.com/east_montgomery/news/wastewater-discharged-from-lift-station-due-to-san-jacinto-river/article_db1590f7-35df-5dd4-88cd-5b407d2e3d46.html)

## **Healthcare and Public Health Sector**

15. *June 1, Los Angeles Times* – (California) **11 deaths at Huntington Hospital among patients infected by dirty scopes, city report says.** Pasadena Public Health Department officials reported June 1 that 11 of the 16 patients infected by dangerous bacteria from duodenoscopes at Huntington Hospital have died. Health department investigators found visible residues in the machines used to clean the scopes and determined that the hospital was using canned compressed air from an office supply store to dry the scopes, which is not recommended by the manufacturer.  
Source: <http://www.latimes.com/business/la-fi-huntington-hospital-scopes-20160601-snap-story.html>
16. *June 1, KMGH 7 Denver* – (Colorado) **Surgical tech in needle-swap scandal at Swedish Medical Center has HIV, officials confirm.** Federal authorities reported June 1 that a Federal defendant and former Swedish Medical Center of Colorado employee is HIV positive, and urged approximately 3,000 patients who were potentially impacted by the suspect's conduct to undergo testing for blood-borne pathogens. The defendant allegedly diverted syringes containing fentanyl from the facility and replaced them with similar syringes containing another substance.  
Source: <http://www.thedenverchannel.com/news/local-news/surgical-tech-in-needle-swap-scandal-at-swedish-medical-center-has-hiv-officials-confirm>

## **Government Facilities Sector**

17. *June 1, Los Angeles Times* – (California) **Professor killed in UCLA murder-suicide was brilliant, kind and caring, colleagues say.** The University of California, Los Angeles campus was locked down and classes were cancelled June 1 as students took cover in response to a murder-suicide involving a professor which took place in an office inside the university's engineering complex. An investigation is ongoing and classes are scheduled to resume June 2.  
Source: <http://www.latimes.com/local/lanow/la-me-ln-ucla-shooting-20160601-snap-story.html>

## Emergency Services Sector

See item [27](#)

## Information Technology Sector

18. *June 2, Help Net Security* – (International) **KeePass update check MitM flaw can lead to malicious downloads.** A security researcher reported that all versions of KeePass, an open source password manager, were susceptible to a man-in-the-middle (MitM) attack that could allow attackers to trick users into downloading malware disguised as a software update as the product uses Hypertext Transfer Protocol (HTTP) to request the current version information, allowing an attacker to modify the server response. A KeePass developer stated the vulnerability will not be fixed as the cost of switching to Hypertext Transfer Protocol Secure (HTTPS) make it a inviable solution. Source: <https://www.helpnetsecurity.com/2016/06/02/keepass-update-check-mitm-flaw/>
19. *June 2, SecurityWeek* – (International) **Cisco fixes flaws in network analysis modules.** Cisco released patches addressing high and medium severity vulnerabilities in its Prime Network Analysis Module products that could allow a remote, unauthenticated attacker to cause a denial-of-service (DoS) condition by sending a specially crafted Internet Protocol v6 (IPv6) packets on the network, as well as remotely execute arbitrary commands on the underlying operating system via specially crafted Hypertext Transfer Protocol (HTTP). Source: <http://www.securityweek.com/cisco-fixes-flaws-network-analysis-modules>
20. *June 1, Softpedia* – (International) **Google fixes 15 security bugs in Chrome, awards \$26,000 to researchers.** Google released version 51.0.2704.79 for its Chrome Web browser which fixes 15 security flaws including two high-level vulnerabilities that could allow attackers to bypass the browser’s cross-origin code execution restrictions and run malicious code via the Blink engine and its Extensions component. The new Web browser version also patched some flaws that crashed the browser or scrambled up its download file paths. Source: <http://news.softpedia.com/news/google-fixes-15-security-bugs-in-chrome-awards-26-000-to-researchers-504764.shtml>
21. *June 1, Softpedia* – (International) **Microsoft patches Outlook.com to fix recent spam flood.** Microsoft released a patch for its Outlook and Hotmail products after the company received reports of a massive spam flood that bypassed the products spam filters, allowing hackers to inundate users with Viagra ads and Russian bride ads. Source: <http://news.softpedia.com/news/microsoft-patches-outlook-com-to-fix-recent-spam-flood-504753.shtml>
22. *June 1, SecurityWeek* – (International) **ABB patches password flaws in substation automation tool.** ABB released software updates for one of its substation automation products, PCM600 after a security researcher from Positive Technologies found several vulnerabilities in industrial control systems (ICS) and found that the PCM600 product

was plagued with four password-related flaws. The flaw can be exploited via the hash, which can be easily broken and allow an attacker to obtain the password.

Source: <http://www.securityweek.com/abb-patches-password-flaws-substation-automation-tool>

23. *June 1, SecurityWeek* – (International) **User data possible stolen in Scrum.org hack.** Scrum.org released a patch and warned its users that their usernames, email addresses, encrypted passwords, password decryption keys, profile pictures, and certification information may have been compromised after an investigation revealed that an unknown user had created a new admin account on the mail server and modified the settings. In addition, Scrum.org was notified that its software was plagued with a flaw that could be exploited to conduct the same malicious activities.  
Source: <http://www.securityweek.com/user-data-possibly-stolen-scrumorg-hack>

### Internet Alert Dashboard

To report cyber infrastructure incidents or to request information, please contact US-CERT at [soc@us-cert.gov](mailto:soc@us-cert.gov) or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <http://www.it-isac.org>

## Communications Sector

Nothing to report

## Commercial Facilities Sector

24. *June 2, WPLG 10 Miami* – (Florida) **Coral Gables building evacuated because of fire.** A June 1 fire at the Gables Waterway Towers apartment complex in Coral Gables, Florida, prompted an evacuation of the building and damaged 90 apartment units. The American Red Cross is assisting the displaced residents and the cause of the fire remains under investigation.  
Source: <http://www.local10.com/news/coral-gables-building-evacuated-due-to-fire>
25. *June 2, WCCO 4 Minneapolis* – (Minnesota) **New hope apartment building damaged in overnight fire.** Twenty-five people from a New Hope apartment building in Minneapolis were displaced and nine apartment units were damaged June 2 due to an early morning fire. Officials were investigating the cause of the fire and no injuries were reported.  
Source: <http://minnesota.cbslocal.com/2016/06/02/new-hope-apartment-fire/>
26. *June 2, WPVI 6 Philadelphia* – (Pennsylvania) **Suspicious fire forces dozens from Germantown apartments.** Fire officials reported June 2 that they are investigating a fire incident after 24 residents were displaced from the Hamill Mill Apartments in Germantown, Pennsylvania June 1. The incident was believed to be intentionally set as the event was the third time firefighters were deployed to the apartment building.  
Source: <http://6abc.com/news/suspicious-fire-forces-dozens-from-germantown->

[apartments/1367922/](#)

27. *June 1, San Jose Mercury News* – (California) **San Jose: Fighters extinguish four-alarm fire at auto parts store.** A 4-alarm fire heavily damaged the O'Reilly Auto Parts store in San Jose and prompted 60 firefighters and 26 fire trucks to contain the incident. The cause of the fire remains under investigation.  
Source: [http://www.mercurynews.com/bay-area-news/ci\\_29966223/san-jose-fighters-battling-three-alarm-fire-at](http://www.mercurynews.com/bay-area-news/ci_29966223/san-jose-fighters-battling-three-alarm-fire-at)
  
28. *May 31, WTVT 13 Tampa Bay* – (Florida) **Two die after Sunset festival; mother speaks out.** Police were investigating May 31 the cause behind 2 deaths and 57 illnesses after each individual attended the Sunset Music Festival at the Raymond James Stadium in Tampa, Florida. Officials reportedly believe drugs may be a factor to the death and illnesses of the attendees.  
Source: <http://www.fox13news.com/news/local-news/150380486-story>

## **Dams Sector**

Nothing to report



**Department of Homeland Security (DHS)**  
**DHS Daily Open Source Infrastructure Report Contact Information**

**About the reports** - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

**Contact Information**

Content and Suggestions:	Send mail to <a href="mailto:cikr.productfeedback@hq.dhs.gov">cikr.productfeedback@hq.dhs.gov</a> or contact the DHS Daily Report Team at (703) 942-8590
Subscribe to the Distribution List:	Visit the <a href="#">DHS Daily Open Source Infrastructure Report</a> and follow instructions to <a href="#">Get e-mail updates when this information changes</a> .
Removal from Distribution List:	Send mail to <a href="mailto:support@govdelivery.com">support@govdelivery.com</a> .

---

**Contact DHS**

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at [nicc@hq.dhs.gov](mailto:nicc@hq.dhs.gov) or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at [soc@us-cert.gov](mailto:soc@us-cert.gov) or visit their Web page at [www.us-cert.gov](http://www.us-cert.gov).

**Department of Homeland Security Disclaimer**

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.